




ERD



23mm

G3

FreeSpoke

FreeSpoke part of kotoerz.com Log In Register

Calculator Bench Rims Hubs Manufacturers Builds Contribute How to Measure Tech Info About

PowerTap G3 and G3C 130mm Rear hub

Add this hub to your bench

Hub Data	
Manufacturer	PowerTap
Model	G3 and G3C
Descriptor	
Position	Rear
Axle Type	10mm
OLN	130 mm
Spoke Interface Type	J-Bend
Brake Compatibility	rim brake
Drive Interface	Shimano 11 road (36.75mm)
Internal Gearing	none
Dynamo Type	none
Spoke Hole Diameter	2.5 mm
Left Flange Diameter	57 mm
Right Flange Diameter	57 mm
Left Flange Offset	38 mm
Right Flange Offset	17.4 mm
Mid-Flange Offset	-10.3 mm (to the left)
Weight	0 g
URL	https://prod.quark.com/wp-content/uploads/...

Metadata	
Hub ID	522
Record Status	Public
Created	Aug 7, 2019 10:22am

IMPORTANT: For your safety, the non-drive side of the PowerTap hub must be built with at least a 2x lacing pattern on normally flanged hubs. Because of the patented PowerTap design, torque is transferred through the hub to the non-drive side. Failure to adhere to this precaution will void the warranty.

page generated in 0.003 seconds



画像にマウスを合わせると拡大されます

ブランド: SENQI

SENQI自転車スチールスポーク80mm-290mm 銅キャップ付き 36本

★★★★☆ 194個の評価

ベストセラー1位 - カテゴリ 自転車用スポーク

¥1,850

✓prime お届け日時指定便
お持ちのPrime Amazon Prime
Mastercardで +2%ポイント

サイズ:

257MM ▼

- 材質: 高品質の45#スチール
- 仕様: 14g ベンド
- 直径: 2mm
- パッケージには含まれています: 36xスポークと36x銅キャップ
- 自転車のリムとハブの長さおよび測定方法によって、スポークを選択してください。ご注文する前に、サイズをご確認ください。

> もっと見る

SENQI